



2021 Fibryga® Copay Enrollment Form, Page 1 of 2 Pages

Please print and fax completed form to: **1-800-554-6744**

If you have any questions please call the **Octapharma Support Center** toll free at **1-800-554-4440**

Monday to Friday 8:30 AM to 5 PM ET. Patient Information:

Full Name:	_____	_____	_____
	<i>Last</i>	<i>First</i>	<i>M.I.</i>
Address:	_____		_____
	<i>Street Address</i>		<i>Apartment/Unit #</i>
	_____	_____	_____
	<i>City</i>	<i>State</i>	<i>ZIP Code</i>
Date of Birth:	____/____/____		
Phone:	_____		
Email:	_____		

Patient Insurance Information:

Name of Insurance:	Name of Insured:	Insurance phone #:
Member ID #:	Group #:	Plan ID #:

Coordination of Care:

Patient Site of Care:	<input type="checkbox"/> Hospital	<input type="checkbox"/> Outpatient Infusion center	<input type="checkbox"/> Physician office
	<input type="checkbox"/> Other (specify): _____		
Name of Facility or Specialty Pharmacy:			
Contact name:			
Phone:			

Fibryga Prescribing Information:

Treatment of acute bleeding episodes in adults and children with congenital fibrinogen deficiency, including afibrinogenemia and hypofibrinogenemia:			
IV administration:	_____ mg/kg		
Physician Name (print):	_____	_____	
	<i>Last</i>	<i>First</i>	
Address:	_____		_____
	<i>Street Address</i>		<i>Unit #</i>
	_____	_____	_____
	<i>City</i>	<i>State</i>	<i>ZIP Code</i>
Phone:	Fax:	Email:	

Physician Signature:

Signature: _____	Date: _____
------------------	-------------

By signing this form I verify that the patient and prescriber information is complete and accurate to the best of my knowledge and that I have prescribed Fibryga based on my professional judgment and medical necessity for the treatment of acute bleeding episodes in adults and adolescents with congenital fibrinogen deficiency, including afibrinogenemia and hypofibrinogenemia. I attest that I have obtained the patient's (or authorized representative's) affirmative authorization to release the above information as may be necessary to Octapharma.

To be eligible...

- The patient must be receiving treatment with Fibryga, or have a prescription to begin treatment
 - The patient must have commercial insurance
 - Those with Medicare, Medicaid, Medigap, VA, DOD, Tricare or other federal or state government health insurance are not eligible
 - **Patient must use Fibryga for the FDA-approved indication of treatment of acute bleeding episodes in adults and children with congenital fibrinogen deficiency, including afibrinogenemia and hypofibrinogenemia, with a diagnosis code of D68.2**

Note-Diagnosis codes are provided for reference only. Selection and documentation of an appropriate diagnosis code are the responsibility of the patient's health care provider.

- Copay assistance may only be applied to co-payments, deductibles and co-insurance that may be associated with the cost of Fibryga up to a maximum amount of \$2,500 in copay assistance per enrollment. Enrollment can be renewed at Octapharma's discretion up to 3 times within a calendar year.
 - The Copay Assistance Program does not cover costs associated with administration of therapy, such as office visits, infusion costs, or other professional services

Indications and Usage

Fibryga is a human fibrinogen concentrate indicated for the treatment of acute bleeding episodes in adults and children with congenital fibrinogen deficiency, including afibrinogenemia and hypofibrinogenemia. Fibryga is not indicated for dysfibrinogenemia

Contraindications

Fibryga is contraindicated in individuals who have manifested severe immediate hypersensitivity reactions, including anaphylaxis, to fibryga or its components.

Warnings and Precautions

Monitor patients for early signs of hypersensitivity or allergic reactions. If necessary, discontinue administration and institute appropriate treatment. Thrombotic events have been reported in patients receiving fibryga. Treatment with human fibrinogen concentrate has been associated with thrombosis at target plasma fibrinogen levels that were below 150 mg/dL. The thrombotic risks may be greater when the target fibrinogen plasma level is 150 mg/dL. Weigh the benefits of administration versus the risks of thrombosis.

Fibryga is made from pooled human plasma. Products made from human plasma may contain infectious agents, e.g., viruses and, theoretically, the Creutzfeldt-Jakob disease (CJD) agent.

Adverse Reactions

The most serious adverse reactions that may be observed with fibryga are thromboembolic episodes and anaphylactic type reactions. The most common adverse reactions observed in more than one subject in clinical studies with fibryga (>5% of subjects) were nausea, vomiting, pyrexia (fever) and thrombocytosis.